Brain Research, 422 (1987) 407–409
Elsevier

Author Index

Appell, S.H., see Bostwick, J.R., 92

Bak, T.H., see Carr, K.D., 384
Ball, M.J., see Doucette, R., 357
Balthazart, J., see Schumacher, M., 137
Barraclough, C.A., see Gitler, M.S., 1
Bland, B.H., see Colom, L.V., 277
Borke, R.C. and Nau, M.E., The ultrastructural morphology and distribution of trigeminohypoglossal connections labeled with horseradish peroxidase, 235
Bostwick, J.R., Appell, S.H. and Perez-Polo, J.R., Distinct influences of nerve growth factor and a central cholinergic trophic factor on medial septal explants, 92
Bréher, A., see Rami, A., 149
Brimijoin, S., see Nagata, H., 319
Burnard, D.M., Veale, W.L. and Pittman, Q.J., Altered sensitivity to arginine vasopressin (AVP) in area CA_1 of the hippocampal slice following pretreatment of rats with AVP, 11
Burnstock, G., see Hassall, C.J.S., 74
Busto, R., see Vibulsreth, S., 303

Carlson, S., see Pertovaara, A., 205
Carr, K.D., Bak, T.H., Gioannini, T.L. and Simon, E.J., Antibodies to dynorphin A(1–13) but not β-endorphin inhibit electrically elicited feeding in the rat, 384
Castrén, E., Kurihara, M., Gutkind, J.S. and Saavedra, J.M., Specific angiotensin II binding sites in the rat stellate and superior cervical ganglia, 347
Cherkin, A., see Flood, J.F., 218
Colom, L.V. and Bland, B.H., State-dependent spike train dynamics of hippocampal formation neurons: evidence for theta-on and theta-off cells, 277
Cummings, S., see Sharp, B.M., 261
Curtis, D.R. and Gynther, B.D., Divalent cations reduce depolarization of primary afferent terminations by GABA, 192

Dalton Dietrich, W., see Vibulsreth, S., 303
De Jong, W., see Luković, L., 312
De Toledo-Morrell, L., see Geinisman, Y., 352
De Wied, D., see Luković, L., 312
DeSalles, A.A.F., see Leichnetz, G.R., 389
Deisz, R.A. and Prince, D.A., Effect of D890 on membrane properties of neocortical neurons, 63
Dionne, R.A., see Hargreaves, K.M., 154
Doucette, R. and Ball, M.J., Left–right symmetry of neuronal cell counts in the nucleus basalis of Meynert of control and of Alzheimer-diseased brains, 357
Dubner, R., see Hargreaves, K.M., 154

Earnest, D.J. and Sladek, C.D., Circadian vasopressin release from perifused rat suprachiasmatic explants in vitro: effects of acute stimulation, 398

Fanelli, R.J., Szikszay, M., Jasinki, D.R. and London, E.D., Differential effects of μ and κ opioid analgesics on cerebral glucose utilization in the rat, 257
Flood, J.F., Cherkin, A. and Morley, J.E., Antagonism of endogenous opioids modulates memory processing, 218
Fornal, C.A., see Morilak, D.A., 17
Fornal, C.A., see Morilak, D.A., 24
Fornal, C.A., see Morilak, D.A., 32
Freeman, W.J. and Van Dijk, B.W., Spatial patterns of visual cortical fast EEG during conditioned reflex in a rhesus monkey, 267

Geinisman, Y., Morrell, F. and De Toledo-Morrell, L., Synapses on dendritic shafts exhibit a perforated postsynaptic density, 352
Ghetti, B., see Kaseda, Y., 178
Gibb, J.W., see Letter, A.A., 200
Ginsberg, M.D., see Vibulsreth, S., 303
Gioannini, T.L., see Carr, K.D., 384
Gitler, M.S. and Barraclough, C.A., Locus coeruleus (LC) stimulation augments LHRH release induced by medial preoptic stimulation. Evidence that the major LC stimulatory component enters contralaterally into the hypothalamus, 1
Goldstein, D., see Hargreaves, K.M., 154
Gonzalo-Ruiz, A., see Leichnetz, G.R., 389
Gravel, C. and Hawkes, R., Thyroid hormone modulates the expression of a neurofilament antigen in the cerebellar cortex: premature induction and overexpression by basket cells in hyperthyroidism and a critical period for the correction of hypothyroidism, 327
Gunion, M.W. and Taché, Y., Bombesin microinfusion into the paraventricular nucleus suppresses gastric acid secretion in the rat, 118
Gutkind, J.S., see Castrén, E., 347
Gynther, B.D., see Curtis, D.R., 192

Hamasaki, T., Komatsu, Y., Yamamoto, N., Nakajima, S., Hirakawa, K. and Toyama, K., Electrophysiological study of synaptic connections between a transplanted lateral geniculate nucleus and the visual cortex of the host rat, 172
Hanson, G.R., see Letter, A.A., 200
Hargreaves, K.M., Mueller, G.P., Dubner, R., Goldstein, D. and Dionne, R.A., Corticotropin releasing factor (CRF) produces analgesia in humans and rats, 154
Hassall, C.J.S. and Burnstock, G., Immunocytochemical localisation on neuropeptide Y and 5-hydroxytryptamine in a subpopulation of amine-handling intracardiac neurones that do not contain dopamine β-hydroxylase in tissue culture, 74
Hawkes, R., see Gravel, C., 327
Hayashi, M., see Patel, A.J., 182
Hayes, R.L., see Leichnetz, G.R., 389
Hefti, F., see Vibulsreth, S., 303
Hirakawa, K., see Hamasaki, T., 172
Hirata, T., Kubota, I., Takabatake, I., Kawahara, A., Shimamoto, N. and Muneoka, Y., Catch-relaxing peptide isolated from *Mytilus* pedal ganglia, 374
Hose, B., Langner, G. and Scheich, H., Topographic representation of periodicities in the forebrain of the mynah bird: one map for pitch and rhythm?, 367
Hunt, A., see Patel, A.J., 182
Huopaniemi, T., see Pertovaara, A., 205

Jacobs, B.L., see Morilak, D.A., 17
Jacobs, B.L., see Morilak, D.A., 24
Jacobs, B.L., see Morilak, D.A., 32
Jasinki, D.R., see Fanelli, R.J., 257
Jyväsjärvi, E., see Pertovaara, A., 205

Kása, P., see Szerdahelyi, P., 287
Kaseda, Y., Ghetti, B., Low, W.C., Richter, J.A. and Simon, J.R., Dopamine D_2 receptors in the dorsolateral striatum of weaver mutant mice, 178
Katayama, S., Kito, S., Miyoshi, R. and Matsubayashi, H., Effects of calcium antagonists on muscarinic receptor subtypes in the rat brain, 168
Kawahara, A., see Hirata, T., 374
Kawamoto, K. and Kawashima, S., Regeneration of neurohypophyseal hormone-producing neurons in hypophysectomized immature rats, 106
Kawashima, S., see Kawamoto, K., 106
Kito, S., see Katayama, S., 168
Klockgether, T., see Wüllner, U., 129
Komatsu, Y., see Hamasaki, T., 172
Krieger, A.J., see Punnen, S., 336
Kubota, I., see Hirata, T., 374
Kurihara, M., see Castrén, E., 347
Kuypers, H.G.J.M., see Ugolini, G., 242

Langner, G., see Hose, B., 367
Leichnetz, G.R., Gonzalo-Ruiz, A., DeSalles, A.A.F. and Hayes, R.L., The origin of brainstem afferents of the paramedian pontine reticular formation in the cat, 389
Letter, A.A., Matsuda, L.A., Merchant, K.M., Gibb, J.W. and Hanson, G.R., Characterization of dopaminergic influence on striatal-nigral neurotensin systems, 200
Lightman, S.L., see Vallejo, M., 295
London, E.D., see Fanelli, R.J., 257
Low, P., see Nagata, H., 319
Low, W.C., see Kaseda, Y., 178
Lukovič, L., De Jong, W. and De Wied, D., Cardiovascular effects of substance P and capsaicin microinjected into the nucleus tractus solitarii of the rat, 312

MacLusky, N.J., Shanabrough, M. and Naftolin, F., Metabolism and binding of androgens in the spinal cord of the rat, 83
Manteuffel, G., Binocular afferents to the salamander pretectum mediate rotation sensitivity of cells selective for visual background motions, 381
Mastaglia, F.L., see Thickbroom, G.W., 377
Matsubayashi, H., see Katayama, S., 168
Matsuda, L.A., see Letter, A.A., 200
Merchant, K.M., see Letter, A.A., 200
Mihelin, M., see Zidar, J., 196
Miyoshi, R., see Katayama, S., 168
Morilak, D.A., Fornal, C.A. and Jacobs, B.L., Effects of physiological manipulations on locus coeruleus neuronal activity in freely moving cats. I. Thermoregulatory challenge, 17
Morilak, D.A., Fornal, C.A. and Jacobs, B.L., Effects of physiological manipulations on locus coeruleus neuronal activity in freely moving cats. II. Cardiovascular challenge, 24
Morilak, D.A., Fornal, C.A. and Jacobs, B.L., Effects of physiological manipulations on locus coeruleus neuronal activity in freely moving cats. III. Glucoregulatory challenge, 32
Morley, J.E., see Flood, J.F., 218

Morrell, F., see Geinisman, Y., 352
Mueller, G.P., see Hargreaves, K.M., 154
Muneoka, Y., see Hirata, T., 374

Naftolin, F., see MacLusky, N.J., 83
Nagata, H., Brimijoin, S., Low, P. and Schmelzer, J.D., Slow axonal transport in experimental hypoxia and in neuropathy induced by *p*-bromophenylacetylurea, 319
Nakajima, S., see Hamasaki, T., 172
Nau, M.E., see Borke, R.C., 235
Nicol, S., see Sharp, B.M., 261
Nishi, R., see Willard, A.L., 163

Patel, A.J., Hayashi, M. and Hunt, A., Selective persistent reduction in choline acetyltransferase activity in basal forebrain of the rat after thyroid deficiency during early life, 182
Paz, C. and Reygadas, E., Red nucleus lesions delay the evolution of amygdala kindling in cats, 99
Perez-Polo, J.R., see Bostwick, J.R., 92
Pertovaara, A., Huopaniemi, T., Carlson, S. and Jyväsjärvi, E., Response characteristics of tooth pulp-driven postsynaptic neurons in the spinal trigeminal subnucleus of the cat: comparison with primary afferent fiber, subnucleus caudalis, reflex, and sensory responses, 205
Pittman, Q.J., see Burnard, D.M., 11
Prince, D.A., see Deisz, R.A., 63
Punnen, S., Urbanski, R., Krieger, A.J. and Sapru, H.N., Ventrolateral medullary pressor area: site of hypotensive action of clonidine, 336

Rabié, A., see Rami, A., 149
Raigorodsky, G. and Urca, G., Intrathecal *N*-methyl-D-aspartate (NMDA) activates both nociceptive and anti-nociceptive systems, 158
Rami, A., Bréher, A., Thomasset, M. and Rabié, A., The comparative immunocytochemical distribution of 28 kDa cholecalcin (CaBP) in the hippocampus of rat, guinea pig and hedgehog, 149
Reiner, A., A LANT6-like substance that is disinct from neuromedian N is present in pallidal and striatal neurons in monkeys, 186
Reygadas, E., see Paz, C., 99
Richter, J.A., see Kaseda, Y., 178
Rivier, C. and Vale, W., Cocaine stimulates adrenocorticotropin(ACTH) secretion through a corticotropin-releasing factor (CRF)-mediated mechanism, 403

Saavedra, J.M., see Castrén, E., 347
Sapru, H.N., see Punnen, S., 336
Scheich, H., see Hose, B., 367
Schmelzer, J.D., see Nagata, H., 319
Schumacher, M. and Balthazart, J., Neuroanatomical distribution of testosterone metabolizing enzymes in the Japanese quail, 137
Schwarz, M., see Wüllner, U., 129
Seybold, V., see Sharp, B.M., 261
Shanabrough, M., see MacLusky, N.J., 83
Sharp, B.M., Nicol, S., Cummings, S. and Seybold, V., Distribution of nicotinic binding sites with respect to CRF and neurophysin immunoreactive perikarya within the rat hypothalamus, 261
Shimamoto, N., see Hirata, T., 374
Simmons, A., see Ugolini, G., 242
Simon, E.J., see Carr, K.D., 384

Simon, J.R., see Kaseda, Y., 178
Sladek, C.D., see Earnest, D.J., 398
Smith, S.S., Waterhouse, B.D. and Woodward, D.J., Sex steroid effects on extrahypothalamic CNS. I. Estrogen augments neuronal responsiveness to iontophoretically applied glutamate in the cerebellum, 40
Smith, S.S., Waterhouse, B.D. and Woodward, D.J., Sex steroid effects on extrahypothalamic CNS. II. Progesterone alone and in combination with estrogen, modulates cerebellar responses to amino acid neurotransmitters, 52
Sontag, K.-H., see Wüllner, U., 129
Szerdahelyi, P. and Kása, P., Partial depletion and altered distribution of synaptic zinc in the rat hippocampus after treatment with sodium diethyldithiocarbamate, 287
Szikszay, M., see Fanelli, R.J., 257

Taché, Y., see Gunion, M.W., 118
Takabatake, I., see Hirata, T., 374
Thickbroom, G.W. and Mastaglia, F.L., Presaccadic spike potential: a computer model based upon motor unit recruitment patterns in the extraocular muscles, 377
Thomasset, M., see Rami, A., 149
Toyama, K., see Hamasaki, T., 172
Trontelj, J.V., see Zidar, J., 196

Ugolini, G., Kuypers, H.G.J.M. and Simmons, A., Retrograde transneuronal transfer of Herpes simplex virus type 1 (HSV 1) from motoneurones, 242

Urbanski, R., see Punnen, S., 336
Urca, G., see Raigorodsky, G., 158

Vale, W., see Rivier, C., 403
Vallejo, M. and Lightman, S.L., Evidence for a functional relationship between noradrenaline and neurohypophyseal peptides in the brainstem of rats, 295
Van Dijk, B.W., see Freeman, W.J., 267
Veale, W.L., see Burnard, D.M., 11
Vibulsreth, S., Hefti, F., Ginsberg, M.D., Dalton Dietrich, W. and Busto, R., Astrocytes protect cultured neurons from degeneration induced by anoxia, 303

Waterhouse, B.D., see Smith, S.S., 40
Waterhouse, B.D., see Smith, S.S., 52
Willard, A.L. and Nishi, R., Neuropeptides mark functionally distinguishable cholinergic enteric neurons, 163
Woodward, D.J., see Smith, S.S., 40
Woodward, D.J., see Smith, S.S., 52
Wüllner, U., Klockgether, T., Schwarz, M. and Sontag, K.-H., Behavioral actions of baclofen in the rat ventromedial thalamic nucleus: antagonism by δ-aminovalerate, 129

Yamamoto, N., see Hamasaki, T., 172

Zidar, J., Trontelj, J.V. and Mihelin, M., Percutaneous stimulation of human corticospinal tract: a single fibre EMG study of individual motor unit responses, 196